

Government of the People's Republic of Bangladesh
Finance Division, Ministry of Finance.
Support to Skills Development Coordination and Monitoring Unit (SDCMU)
Skills for Employment Investment Program (SEIP)
UCEP Cheyne Tower, 25 Segun Bagicha, Dhaka -1000
www.seip-fd.gov.bd

Notice


No: SEIP/Goods/68/2014-15/178

Date: 07 May, 2015

Subject: Revised Technical Specification for Procurement of Multimedia Projector and Photocopier (Tender Package No: GD-3 and GD -7)

Reference: Invitation for Tender No: SEIP/Goods/68/2014-15/133, dated: 23-04-2015

I am directed to inform you that after discussion at the pre-bid meeting held on 06-05-2015 at SDCMU, SEIP office the project has decided to revise the Section 7 (Technical Specifications) for ensuring competitive bidding. Revised Technical Specifications for of Multimedia Projector and Photocopier (Tender Package No: GD-3 and GD -7) is attached in Annex-1.


Mohammad Mominul Hoque Bhuiyan
AEPD (Fund Management)

Section 7. Technical Specifications (REVISED)

The Goods and Related Services shall comply with following Technical Specifications:

A. Multimedia Projector with Screen (GD-3)

Type	Any reputed brand
Brightness:	Min 4200 ANSI Lumens white /Color output
Video Resolution	XGA 1024 x 768 resolution
Input signal	HDMI, 2 RGB (Computer 1, Computer 2), RJ 45, USB (Type A, Type B), Composite video, Audio in
Filter Life:	5,000 hours hybrid filter
Lamp Life:	5,000 hours lamp life (Standard mode) and 10,000 hours lamp life (Eco mode)
Power saving standby mode	Yes
Wireless USB Adapter	Yes. USB wifi 802.11 b/g/n adapter
Input Voltage	220 VAC
Projection Screen with Stand	
Size	72 inch
Projector Mounting Bracket with Installation	Yes
Screen Laser Pointer	standard

Handwritten signature

B. Photocopier (GD-7)

Type	Desktop
Colour Support	Monochrome
Copy Resolution of Scanning	600dpi x 600dpi
Print Resolution	1,800dpi x 600dpi
Memory Capacity (Std./Max.)	2 GB or more
HDD	150 GB or more
Max. Original Size	A3
Output Size	A3 to A5
Warm-Up Time Main power on	15 sec without HDD
Warm-Up Time Main power off	30 sec without HDD
Copy Speed A4	28 ppm
Magnification, scaling up	1: 1to 2
Magnification, scaling down	1:1 to 0.5
Zoom	25-400%
Paper Capacity (80g/m2)	500 sheets x2 trays (main unit) 100 sheets (Multiple Bypass Tray)
Paper Weight (Tray 1-2)	60 - 90g/m2
Multiple Bypass Tray	60 - 210 g/m2
Multiple Copy	12 sec. / 30 sec. 1-999 sheets
Auto Duplex (RADF)	Paper width: 5.5 in - 11 in Paper length: 6.25 in - 17 in Paper weight: 60 to 90 gm/m2
Network requirements	10/100 mbps RJ 45 port
Power Requirements	AC220-240V 7A (50 to 60Hz)
Max. Power Consumption	1.5 kW or less

Photocopier Accessories

Raised Desktop equal with the length width dimension of Photocopier
Height: Together height of Desktop and Photocopier 42 in (Floor to scanning bed of paper)

Voltage Stabilizer

Type	Single Phase
Rated Capacity	3KVA
Input Voltage	190 VAC to 250 VAC
Output Voltage	220 VAC +- 3%
Support for Overload & Short circuit	Yes
Spike protection	Yes
Meter Reading Display	Input Voltage and Output Voltage